RETAIL ENERGY CODE

This document is classified as **WHITE**.
Information is for public, unrestricted dissemination and publication.

01	Proposal Plan
02	Impact Assessment
03	Consultation
04	Final Recommendation

CHANGE REPORT

R0242 MISSING SCENARIO VARIANT FROM R0043

DOCUMENT VERSION	V1.0
PROPOSED IMPLEMENTATION DATE	TBD
IMPLEMENTATION APPROACH	Big Bang

RESPONSIBLE COMMITTEE	Technical Expert Panel	CHANGE PATH	Self-Governance
PRIORITY STATUS	Low	URGENCY	Standard
IMPACTED STAKEHOLDERS	DNOs, CMRMs		

LEAD ANALYST (SOLUTION LEAD)	TECHNICAL LEAD
CAROLINE FREIMULLER	MAXIME VAN EYSEREN
Click to send an email	Click to send an email

OVERVIEW

There is a missing Scenario Variant from the introduction of REC Change R0043. Schedule 14 Metering Operations states the Crowded Meter Room MOA (CMRM) should send a D0139 to the Energy Supplier and Distribution Network Operator (DNO) but the Scenario Variant of CMRM to DNO is missing.

RETAIL ENERGY CODE

CONTENTS

1 Summary 3
2 Problem Statement 3
3 Impacts 3
4 Cross-Code Impacts 3
5 Proposal plan 4
6 Priority Status and Urgency 4
7 Risks, Assumptions, Issues and Dependencies 5
8 Proposed Solution 6
9 Appendix 8
10 Glossary 8

BACKGROUND

1 SUMMARY

R0043 Commissioning of Works by the Crowded Meter Room Coordinator (CMRC) to Resolve Issues In Crowded Meter Rooms introduced the CMRC and Crowded Meter Room MOA (CMRM) to the REC. Both these Parties are expected to send Market Messages, but one Scenario Variant was missed from the Data Specification in the implementation of this change.

This Scenario Variant should be in the D0139/MM00036 - Confirmation or Rejection of Energisation Status Change and be sent from the CMRM to the DNO.

2 PROBLEM STATEMENT

CMRMs currently cannot send all the Market Messages required of them in Schedule 14 Metering Operations.

3 IMPACTS

REC PARTIES AND SERVICE USERS
DNOs
CMRMs

REC DOCUMENTS / PRODUCTS
Data Specification

MHHS DESIGN
No impact

MHHS DATA SPECIFICATION
Indirect impact

MHHS CODE DRAFTING
No impact

There is indirect impact as this change is making updates to the Data Specification alongside MHHS, which is also adding Scenario Variants to the D0139/MM00036.

4 CROSS-CODE IMPACTS

There is no cross-code impact identified with this change.

5 PROPOSAL PLAN

Milestone	Activity	From	To
Change Proposal		**06-Feb-25**	**24-Jun-25**
	Code Manager assessment	February	March
	Party impact assessment	March	April
	Business case assessment	April	May
	Consultation	May	June
	Final Determination	June	June
Voting		**25-Jun-25**	**25-Jun-25**
	Appeal Window	26-Jun-25	10-Jul-25

As this was raised with a fully form solution, the Code Manager has accepted this in as a Change Proposal rather than an Issue. However, the Code Manager still plans to do a full Party impact assessment and consultation, as it is possible Parties built their systems off the Data Specification rather than the Schedule 14 legal text and so will have to make system changes.

6 PRIORITY STATUS AND URGENCY

PRIORITISATION MATRIX

Category	Significance / Resource impacts / Urgency	Further selection / breakdown	Score (0-3)	Weighting	Weighted Score
Impacts	Consumer Impact	Indirect	0	27	0
	Retail Markets Impact	Innovation and Market Arrangements	1	17	17
	RECCo / REC Party / REC Service Provider Impact	Operational Effectiveness and Efficiencies	1	7	7
		Legal and Regulatory Compliance	3	14	43
Resource	Complexity / Effort / Duration		3	9	28
Strategic Alignment	Contribution to/ Alignment with the objectives of the REC		0	17	0
	Contribution to/ Alignment with RECCo's Forward Work Plan		0		0
Urgency *(The need to progress a change to meet a targeted date)*		Other Planned Activity	0	10	0
				Overall Priority Score (rounded)	93

Priority Status	LOW
Change Proposal Type	STANDARD

7 RISKS, ASSUMPTIONS, ISSUES AND DEPENDENCIES

7.1 RISKS AND ISSUES

No risks have been identified with this change.

NO.	ISSUE	NOTES	HOW TO PROGRESS
R0242.I001	Impacted Parties may have built their systems based on the Data Specification rather than the Schedule 14 legal text and so require system changes to send/receive the D0139.		To be validated at Party impact assessment and used to inform implementation timescales.

7.2 ASSUMPTIONS AND DEPENDENCIES

No assumptions or dependencies have been identified with this change.

RETAIL ENERGY CODE

SOLUTION

8 PROPOSED SOLUTION

The proposed solution for this change is to add the missing Scenario Variant to the Data Specification for the D0139/MM00036 - Confirmation or Rejection of Energisation Status Change. The red-lined flow can be seen below. There are no changes to the flow structure or any Data Items.

MM00036 - Confirmation or Rejection of Energisation Status Change

Market Message Information

Market Message Reference	MM00036
MM Description	This flow confirms that the Energisation Status of a metering point has been changed, or notifies that a change was not possible and gives the reason for failure.
Local Catalogue Reference	D0139
Version	002
Notes	Where an AMVLP (Asset Metering Virtual Lead Party) is involved, the MPAN Core must contain an AMSID (Asset Metering System Identifier) and not an MPAN

Scenario Variants

Scenario Variant	Name	Source	Target	Owner	Api Route	Api Method
SV00036	Confirmation or Rejection of Energisation Status Change	Distribution Network Operator	Electricity Meter Equipment Manager	Retail Energy Code Company		
SV00037	Confirmation or Rejection of Energisation Status Change	Distribution Network Operator	Electricity Supplier	Retail Energy Code Company		

SV00038	Confirmation or Rejection of Energisation Status Change	Electricity Meter Equipment Manager	Distribution Network Operator	Retail Energy Code Company		
SV00039	Confirmation or Rejection of Energisation Status Change	Electricity Meter Equipment Manager	Half Hourly Data Collector	Retail Energy Code Company		
SV00040	Confirmation or Rejection of Energisation Status Change	Electricity Meter Equipment Manager	Non Half Hourly Data Collector	Retail Energy Code Company		
SV00461	Confirmation or Rejection of Energisation Status Change	Electricity Meter Equipment Manager	Asset Metering Virtual Lead Party	Retail Energy Code Company		
SV00495	Confirmation or Rejection of Energisation Status Change	Safe Isolation Provider	Electricity Supplier	Retail Energy Code Company		
SV00501	Confirmation or Rejection of Energisation Status Change	Crowded Meter Room MEM	Electricity Supplier	Retail Energy Code Company		
SVAAAAA	Confirmation or Rejection of Energisation Status Change	Crowded Meter Room MEM	Distribution Network Operator	Retail Energy Code Company		

9 APPENDIX

CHANGE PROPOSAL	Link
[RELATED CHANGE(S)]	R0043

10 GLOSSARY

TERM	DEFINITION
Change Proposal	means a proposal to change this Code made in accordance with Clause 11 of the main body of this Code or the Change Management Schedule.
Crowded Meter Room Co-Ordinator (CMRC)	has the meaning given to that expression under the DCUSA.
Crowded Meter Room MOA (CMRM)	means a Qualified Metering Equipment Manager that has been contracted to perform that role by the Crowded Meter Room Coordinator.
Data Item	means the most granular level of data defining a specific attribute in respect of a data type, the permissible values for which are defined and controlled in the Data Item Catalogue.
Data Specification	means the document of that name forming part of the Technical Specification.
Distribution Network Operator (DNO)	means a person holding an Electricity Distribution Licence.
Issue	means an issue affecting this Code that may become a Change Proposal in accordance with the Change Management Schedule.
Market Message	means a structured communication sent between two Market Participants in the form and with the content required (and as otherwise specified) by the Data Specification.